

**FIGURE 1**





FIGURE 2



**FIGURE 3**

FIG. 4




FIGURE 4




FIGURE 5





FIGURE 6

[illegible]**FIGURE 7**




FIGURE 8



FIG. 9





FIGURE 9

FIG. 10 is a block diagram of a system architecture.



**FIGURE 10**




FIGURE 11

TOP SECRET 0150660




Figure 12




Figure 13

09090540-1349-1




Figure 14

```

<MetaData>
  <Interface name="Foo">
    <Operation name="opl" replyexpected="true">
      <requestopen-phase-generated>
        <![CDATA[
          <HTML>
            <HEAD>
              <META NAME="GENERATOR" CONTENT="CapeConnect HTML Generator 1.0">
              <LINK REL="StyleSheet" HREF="/capeconnect/capeconnect.css"
                TYPE="text/css" MEDIA="screen">
              <TITLE>opl</TITLE>
            </HEAD>
            <BODY>
              ...
            ]>
        </requestopen-phase-generated>
        <Argument name="return_value" direction="return">
          <TypeSpec>
            <BaseType name="long"/>
          </TypeSpec>
        <Argument name="arg1" direction="in">
          <TypeSpec>
            <BaseType name="string"/>
            <request-phase-generated depth="2">
              <![CDATA[
                <TR><TD><P><B>arg1</B><BR>
                <INPUT TYPE="TEXT" NAME="arg1" ></P></TD></TR>
              ]>
            </request-phase-generated>
          </TypeSpec>
        </Argument>
      <request phase-generated>
        <![CDATA[
          </BODY>
        </HTML>
        ]>
      </request-phase-generated>
    </Operation>
  </Interface>
</NameSpace>
</MetaData>

```

Figure 15




Figure 16